



SQL-Kommando direkt ausführen

	ID	Arbeitsbeginn	Arbeitsende	Pause	Arbeitsort	ID_F	von	bis
▶	4	01.01.16 00:00	01.01.16 10:00	00:00:00		1	01.01.16 00:00	31.01.16 23:59

Datensatz 1 von 1

```
SELECT "Stunden".*, ( SELECT "von" FROM "Filter" WHERE "ID_F" = TRUE ) AS "von", ( SELECT "bis" FROM "Filter" WHERE "ID_F" = TRUE ) AS "bis" FROM "Stunden"
WHERE "Arbeitsbeginn" BETWEEN IFNULL( ( SELECT "von" FROM "Filter" WHERE "ID_F" = TRUE ), "Arbeitsbeginn" ) AND IFNULL( ( SELECT "bis" FROM "Filter" WHERE
"ID_F" = TRUE ), "Arbeitsbeginn" ) AND "Arbeitsende" BETWEEN IFNULL( ( SELECT "von" FROM "Filter" WHERE "ID_F" = TRUE ), "Arbeitsende" ) AND
IFNULL( ( SELECT "bis" FROM "Filter" WHERE "ID_F" = TRUE ), "Arbeitsende" )
```



Web und Windows durchsuchen



DEU

14:46
22.02.2016